



Cod: IV-MDG005-10



Máxima protección y prestación para manipulación de objetos pesados y abrasivos.

#### IDENTIFICACION



## Guante Mondongo

## Protección contra abrasión

Cod: IV-MDG005

### INFORMACION DEL PRODUCTO

Datos Generales	Talle:	10
	Color del Textil:	Beige
	Color del Latex:	Amarillo
	Color Ribete:	No Aplica
	Material:	Látex rugoso (mondongo).
	Acabado Exterior:	Puño elastizado reforzado.
	Acabado Interior:	Soporte textil 100% algodón seleccionado.
	Normas:	EN388 1121 - CAT.2

### EMPAQUE

Detalles de Empaque	Cantidad por Caja	120
	Unidad:	Pares
	Largo Caja (cm):	35
	Ancho Caja (cm):	22
	Alto Caja (cm):	30
	Volumen (m3):	0,0231
	Peso Bruto (Kg):	18

#### Acabado Palma



#### Acabado Superior



#### Puño elastizado reforzado



### CARACTERISTICAS

- El mayor nivel de protección contra cortes y abrasión.
- Buen aislamiento térmico.
- Buena aireación de la mano.
- Excelente comodidad.
- Buena sujeción para agarrar piezas de manera segura gracias al adherente rugoso antideslizante.
- Buena resistencia a la perforación.
- Certificación Europea CE EN388 1121-CAT. 2

### APLICACIONES

Industria de la cerámica y el plástico:

Manipulación postinyección de piezas plásticas calientes.

Manipulación de materiales compuestos después de procesamiento de calor (industria vidrio)

Manipulación de láminas de vidrio.

Industria de la construcción (carpintería/ebanistería): Corte de madera, instalación de estructuras de hierro/acero, Ensamblaje, Atornillado.

Otras aplicaciones: Recolección de residuos y procesamiento de reciclado.


#### Látex de primera calidad



#### Textiles Seleccionados



#### Certificaciones



Version No.: v001-2014

Fecha: 09/11/2014

Final : SI NO

www.draysen.com.uy

DRAYSEN  
INSUMOS INDUSTRIALES

Importa y Distribuye



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 9211765, 786 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

### CTC - Centre Technique Cuir Chaussure Maroquinerie

Parc Scientifique Tony Ganier - 4, rue Hermann Frenkel - 69367 Cedex 07 - France  
Tél +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 76 10 00 - E-Mail : [ctc@ctcgroupes.com](mailto:ctc@ctcgroupes.com) - [www.ctc.fr](http://www.ctc.fr)  
Centre Technique Industriel - Loi du 22.07.1948 - Siren 775649726 - Code NAF 911 C - TVA FR 88776649726

authorized by decrees of the Ministry of Work, Employment and Professional Training of the 11<sup>th</sup> of August 1992 and 24<sup>th</sup> of December 1996,

registered under the number 0075, published in OJEC, delivers :

**CE TYPE EXAMINATION CERTIFICATE**  
**0075/1120/162/04/09/0165 - EXT 01/04/09**

To the following model of personal protective equipment :

- \* protective glove against mechanical risks.
- \* reference of the model : IV-MDG005
- \* responsible for placing on the market :

**IVP International (HK) LTD.**  
**Workingber Commercial Building 41-4, Guangdong**  
**Shenzhen, China**

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following page of this certificate.

Drawn up in Lyon, on April 8<sup>th</sup>, 2009

Issued by Lionel GAUDILLERE

P.O.

**CTC**  
4, rue Hermann Frenkel  
69367 Lyon Cedex 07 - France  
Tél. +33(0)4 72 76 10 10 - Fax +33(0)4 72 76 10 00  
[www.ctcgroupes.com](http://www.ctcgroupes.com)

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 233-62 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : IV-MDG005

Major Variant of the model : IV-MDG005

Dated : April 2009

100% cotton glove coated with latex crinkle finish jersey lining knit wrist fully coated

### Available sizes :

8/M 9/L 10/XL 11/XXL

### Visual description :



### Material :

	Colour	Material	Gauges	Thikness
PALM	Yellow	Latex	22gauges/inch	
BACK	Yellow	Latex	22gauges/inch	
LINING	Beige	Cotton	22gauges/inch	
CUFF	Beige	Cotton	10gauges/inch	
BINDING				

## 2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- \* EN 420: 2003 - General requirements for gloves and test methods
- \* EN 388: 2003 - Protective glove against mechanical risks
- \* Directive 2002/61/CE : - This product fulfilled the requirements given by the Directive.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420	00630B-09,00744B-09,01070B-09 & 00634B-09		
Azo	00630B-09 & 00634B-09		
EN 388	00629B-09 & 00633B-09		

Performance levels offered against mechanical risks (EN 388:2003) are :

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
1	1	2	1


The levels of performance have been measured on the palm

### 3. MARKING

Each glove is clearly marked with the following informations :

- \* Logo of the authorized representative :
- \* CE marking
- \* reference of the model : IV-MDG005
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

Marking example :





## PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

## GENERAL REQUIREMENTS

### Standard EN 420 :2003

Dexterity : 5

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : conform

### Directive 2002/61/CE :

This product fulfild the requirements given by the Directive 2002/61/CE (Azo dyes).

## SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

### Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	1
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	1

## INSTRUCTION FOR USE

Glove reference : IV-MDG005

Available sizes : 8/M 9/L 10/XL 11/XXL

### Glove description :

100% cotton glove coated with latex crinkle finish jersey lining knit wrist fully coated

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the directive 89/686/CEE : innocuousness, comfort, solidity

It has been subject to a CE type Examination performed by :

C.T.C. (0075)  
4, rue Hermann Frenkel  
69367 LYON Cedex 07  
FRANCE

### Applicable standards :

The glove meets the requirements of the standard EN 420 « General requirements for work gloves », Dexterity : 5

Moreover, this glove has been designed for the following applications :

#### Application :

Mechanical hazard - EN 388



1121

Levels of performance



Abrasion resistance	1
Blade cut resistance	1
Tear resistance	2
Puncture resistance	1

### Protection limit :

The protection against risks or hazards which are not mentioned on this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

### Storage and cleaning notice

Keep in its original packaging , under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.