

Ficha Salvacaida CUERDA-14MM



DRAYSER


INSUMOS
INDUSTRIALES



INFORMACIÓN DEL PRODUCTO

Diametro :	1/2" - 9/16" Pulgada (12,7 - 14 mm)
Material:	Acero inoxidable
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

CARACTERISTICAS



DRAYSER

INSUMOS
INDUSTRIALES

Telefax: +598 24004366
Minas 1678 / C.P.: 11200
Montevideo - Uruguay
www.draysen.com.uy



Safety is our first priority™

SABS



YOKE INDUSTRIAL CORP.

#39,33rd Road, Taichung Industrial Park,
TAICHUNG 407, TAIWAN

TEL:+886-4-2350 8088

FAX:+886-4-2350 1001

Test Certificate

80035131-000010

TO : IVP藍天國際(香港)有限公司
深圳市羅湖區東門南路3005號
寸金大廈14樓1424X號
China
Tel: 18565822285

Invoice NO: 90031397

Description: ITEM: N-616
Open Type Rope Grab, SS Polished
Batch No : WMA/AUN
Quantity : 40 EA

Material : stainless steel

Plating : Polished

Mini. Breaking
Load :

16kN
(3600LBS)

TESTING ACCORDING TO ANSI Z359.1, EN 353-2

TEST RESULT

Pass

YOKE INDUSTRIAL CORP.

Any Tseng

Dated: January 05, 2016



Safety is our first priority™

SABS



YOKE INDUSTRIAL CORP.

#39,33rd Road, Taichung Industrial Park,

TAICHUNG 407, TAIWAN

TEL:+886-4-2350 8088

FAX:+886-4-2350 1001

Test Certificate

80035131-000020

TO : IVP藍天國際(香港)有限公司
深圳市羅湖區東門南路3005號
寸金大廈14樓1424X號
China
Tel: 18565822285

Invoice NO: 90031397

Description: ITEM: N-620
Cable Rope Grab With Eye, SS Polished
Batch No : YTE
Quantity : 50 EA

Material : stainless steel

Plating : Polished

Mini. Breaking
Load :

16kN
(3600LBS)

TESTING ACCORDING TO ANSI Z359.1, EN 353-2

TEST RESULT

Pass

YOKE INDUSTRIAL CORP.

Dated: January 05, 2016